KERSCHGENS Werkstoffe & Mehr

Wide flat bar DIN 59200 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
Flat 160/ 8	S355J2+AR/M	●
Flat 160/10	S355J2+AR/M	●
Flat 160/12	S355J2+AR/M	●
Flat 160/15	S355J2+AR/M	●
Flat 160/20	S355J2+AR/M	●
Flat 160/30	S355J2+AR/M	●
Flat 170/10	S355J2+AR/M	●
Flat 170/15	S355J2+AR/M	●
Flat 180/ 8	S355J2+AR/M	●
Flat 180/10	S355J2+AR/M	●
Flat 180/12	S355J2+AR/M	●
Flat 180/15	S355J2+AR/M	●
Flat 180/20	S355J2+AR/M	●
Flat 180/25	S355J2+AR/M	●
Flat 180/30	S355J2+AR/M	●
Flat 200/ 6	S355J2+AR/M	●
Flat 200/ 8	S355J2+AR/M	●
Flat 200/10	S355J2+AR/M	●
Flat 200/12	S355J2+AR/M	●
Flat 200/15	S355J2+AR/M	●
Flat 200/20	S355J2+AR/M	●
Flat 200/25	S355J2+AR/M	●
Flat 200/30	S355J2+AR/M	●
Flat 220/10	S355J2+AR/M	●
Flat 220/12	S355J2+AR/M	●
Flat 220/15	S355J2+AR/M	●
Flat 220/20	S355J2+AR/M	●
Flat 250/10	S355J2+AR/M	●
Flat 250/12	S355J2+AR/M	●
Flat 250/15	S355J2+AR/M	●
Flat 250/20	S355J2+AR/M	●
Flat 250/25	S355J2+AR/M	●
Flat 250/30	S355J2+AR/M	●
Flat 280/10	S355J2+AR/M	●
Flat 280/15	S355J2+AR/M	●
Flat 280/20	S355J2+AR/M	●

Wide flat bars DIN 59200 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
Flat 300/ 8	S355J2+AR/N	●
Flat 300/10	S355J2+AR/N	●
Flat 300/12	S355J2+AR/N	●
Flat 300/15	S355J2+AR/N	●
Flat 300/20	S355J2+AR/N	●
Flat 300/25	S355J2+AR/N	●
Flat 300/30	S355J2+AR/N	●
Flat 350/10	S355J2+AR/N	●
Flat 350/12	S355J2+AR/N	●
Flat 350/15	S355J2+AR/N	●
Flat 350/20	S355J2+AR/N	●
Flat 400/ 8	S355J2+AR/N	●
Flat 400/10	S355J2+AR/N	●
Flat 400/12	S355J2+AR/N	●
Flat 400/15	S355J2+AR/N	●
Flat 400/20	S355J2+AR/N	●
Flat 400/25	S355J2+AR/N	●
Flat 400/30	S355J2+AR/N	●
Flat 450/10	S355J2+AR/N	●
Flat 450/12	S355J2+AR/N	●
Flat 450/15	S355J2+AR/N	●
Flat 500/10	S355J2+AR/N	●
Flat 500/15	S355J2+AR/N	●
Flat 500/20	S355J2+AR/N	●

Flat bars DIN EN 10058 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
Flat 20/ 8	S355J2+AR/M	●
Flat 20/10	S355J2+AR/M	●
Flat 20/15	S355J2+AR/M	●
Flat 25/10	S355J2+AR/M	●
Flat 25/15	S355J2+AR/M	●
Flat 25/20	S355J2+AR/M	●
Flat 30/ 5	S355J2+AR/M	●
Flat 30/ 6	S355J2+AR/M	●
Flat 30/ 8	S355J2+AR/M	●
Flat 30/10	S355J2+AR/M	●
Flat 30/12	S355J2+AR/M	●
Flat 30/15	S355J2+AR/M	●
Flat 30/20	S355J2+AR/M	●
Flat 30/25	S355J2+AR/M	●
Flat 35/ 6	S355J2+AR/M	●
Flat 35/ 8	S355J2+AR/M	●
Flat 35/10	S355J2+AR/M	●
Flat 35/12	S355J2+AR/M	●
Flat 35/15	S355J2+AR/M	●
Flat 40/ 5	S355J2+AR/M	●
Flat 40/ 6	S355J2+AR/M	●
Flat 40/ 8	S355J2+AR/M	●
Flat 40/10	S355J2+AR/M	●
Flat 40/12	S355J2+AR/M	●
Flat 40/15	S355J2+AR/M	●
Flat 40/20	S355J2+AR/M	●
Flat 40/25	S355J2+AR/M	●
Flat 40/30	S355J2+AR/M	●
Flat 45/ 8	S355J2+AR/M	●
Flat 45/10	S355J2+AR/M	●
Flat 45/12	S355J2+AR/M	●
Flat 45/15	S355J2+AR/M	●

Continuation - Flat bars DIN EN 10058 S355J2

Dimension	Grade	Stock availability
Flat 50/ 5	S355J2+AR/M	●
Flat 50/ 6	S355J2+AR/M	●
Flat 50/ 8	S355J2+AR/M	●
Flat 50/10	S355J2+AR/M	●
Flat 50/12	S355J2+AR/M	●
Flat 50/15	S355J2+AR/M	●
Flat 50/20	S355J2+AR/M	●
Flat 50/25	S355J2+AR/M	●
Flat 50/30	S355J2+AR/M	●
Flat 50/40	S355J2+AR/M	●
Flat 55/10	S355J2+AR/M	●
Flat 55/15	S355J2+AR/M	●
Flat 60/5	S355J2+AR/M	●
Flat 60/6	S355J2+AR/M	●
Flat 60/8	S355J2+AR/M	●
Flat 60/10	S355J2+AR/M	●
Flat 60/12	S355J2+AR/M	●
Flat 60/15	S355J2+AR/M	●
Flat 60/20	S355J2+AR/M	●
Flat 60/25	S355J2+AR/M	●
Flat 60/30	S355J2+AR/M	●
Flat 60/40	S355J2+AR/M	●
Flat 60/50	S355J2+AR/M	●
Flat 65/10	S355J2+AR/M	●
Flat 70/6	S355J2+AR/M	●
Flat 70/8	S355J2+AR/M	●
Flat 70/10	S355J2+AR/M	●
Flat 70/12	S355J2+AR/M	●
Flat 70/15	S355J2+AR/M	●
Flat 70/20	S355J2+AR/M	●
Flat 70/25	S355J2+AR/M	●
Flat 70/30	S355J2+AR/M	●
Flat 70/40	S355J2+AR/M	●
Flat 70/50	S355J2+AR/M	●

Continuation - Flat bars DIN EN 10058 S355J2

Dimension	Grade	Stock availability
Flat 75/10	S355J2+AR/M	●
Flat 80/ 5	S355J2+AR/M	●
Flat 80/ 6	S355J2+AR/M	●
Flat 80/ 8	S355J2+AR/M	●
Flat 80/10	S355J2+AR/M	●
Flat 80/12	S355J2+AR/M	●
Flat 80/15	S355J2+AR/M	●
Flat 80/20	S355J2+AR/M	●
Flat 80/25	S355J2+AR/M	●
Flat 80/30	S355J2+AR/M	●
Flat 80/35	S355J2+AR/M	●
Flat 80/40	S355J2+AR/M	●
Flat 80/50	S355J2+AR/M	●
Flat 80/60	S355J2+AR/M	●
Flat 90/ 5	S355J2+AR/M	●
Flat 90/ 8	S355J2+AR/M	●
Flat 90/10	S355J2+AR/M	●
Flat 90/15	S355J2+AR/M	●
Flat 90/20	S355J2+AR/M	●
Flat 90/30	S355J2+AR/M	●
Flat 90/40	S355J2+AR/M	●
Flat 90/60	S355J2+AR/M	●
Flat 100/ 5	S355J2+AR/M	●
Flat 100/ 6	S355J2+AR/M	●
Flat 100/ 8	S355J2+AR/M	●
Flat 100/10	S355J2+AR/M	●
Flat 100/12	S355J2+AR/M	●
Flat 100/15	S355J2+AR/M	●
Flat 100/20	S355J2+AR/M	●
Flat 100/25	S355J2+AR/M	●
Flat 100/30	S355J2+AR/M	●
Flat 100/40	S355J2+AR/M	●
Flat 100/50	S355J2+AR/M	●
Flat 110/10	S355J2+AR/M	●
Flat 110/15	S355J2+AR/M	●

Continuation - Flat bars DIN EN 10058 S355J2

Dimension	Grade	Stock availability
Flat 110/20	S355J2+AR/M	●
Flat 120/ 6	S355J2+AR/M	●
Flat 120/ 8	S355J2+AR/M	●
Flat 120/10	S355J2+AR/M	●
Flat 120/12	S355J2+AR/M	●
Flat 120/15	S355J2+AR/M	●
Flat 120/20	S355J2+AR/M	●
Flat 120/25	S355J2+AR/M	●
Flat 120/30	S355J2+AR/M	●
Flat 120/40	S355J2+AR/M	●
Flat 130/ 6	S355J2+AR/M	●
Flat 130/ 8	S355J2+AR/M	●
Flat 130/10	S355J2+AR/M	●
Flat 130/15	S355J2+AR/M	●
Flat 130/20	S355J2+AR/M	●
Flat 140/ 8	S355J2+AR/M	●
Flat 140/10	S355J2+AR/M	●
Flat 140/12	S355J2+AR/M	●
Flat 140/15	S355J2+AR/M	●
Flat 140/20	S355J2+AR/M	●
Flat 140/25	S355J2+AR/M	●
Flat 150/ 5	S355J2+AR/M	●
Flat 150/ 6	S355J2+AR/M	●
Flat 150/ 8	S355J2+AR/M	●
Flat 150/10	S355J2+AR/M	●
Flat 150/12	S355J2+AR/M	●
Flat 150/15	S355J2+AR/M	●
Flat 150/20	S355J2+AR/M	●
Flat 150/25	S355J2+AR/M	●
Flat 150/30	S355J2+AR/M	●
Flat 150/40	S355J2+AR/M	●

Round bars DIN EN 10060 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
Round 12	S355J2 +AR/M	●
Round 16	S355J2 +AR/M	●
Round 18	S355J2 +AR/M	●
Round 20	S355J2 +AR/M	●
Round 24	S355J2 +AR/M	●
Round 25	S355J2 +AR/M	●
Round 30	S355J2 +AR/M	●
Round 35	S355J2 +AR/M	●
Round 36	S355J2 +AR/M	●
Round 40	S355J2 +AR/M	●
Round 45	S355J2 +AR/M	●
Round 50	S355J2 +AR/M	●
Round 60	S355J2 +AR/M	●
Round 70	S355J2 +AR/M	●
Round 80	S355J2 +AR/M	●
Round 90	S355J2 +AR/M	●
Round 100	S355J2 +AR/M	●

T-bars DIN EN 10055 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
T 60 / 60 / 7	S355J2 +AR/M	●
T 70 / 70 / 8	S355J2 +AR/M	●
T 80 / 80 / 9	S355J2 +AR/M	●
T 100 / 100 / 11	S355J2 +AR/M	●
T 120 / 120 / 13	S355J2 +AR/M	●
T 140 / 140 / 15	S355J2 +AR/M	●

U-bars, DIN EN 10055 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
U 50/38/5 S355J2 +AR/M	S355J2 +AR/M	●
U 65/42/6 S355J2 +AR/M	S355J2 +AR/M	●

Square bars DIN EN 10059 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
Square bars 12	S355J2 +AR/M	●
Square bars 15	S355J2 +AR/M	●
Square bars 16	S355J2 +AR/M	●
Square bars 20	S355J2 +AR/M	●
Square bars 25	S355J2 +AR/M	●
Square bars 30	S355J2 +AR/M	●
Square bars 40	S355J2 +AR/M	●
Square bars 45	S355J2 +AR/M	●
Square bars 50	S355J2 +AR/M	●
Square bars 55	S355J2 +AR/M	●
Square bars 60	S355J2 +AR/M	●
Square bars 70	S355J2 +AR/M	●
Square bars 80	S355J2 +AR/M	●
Square bars 90	S355J2 +AR/M	●
Square bars 100	S355J2 +AR/M	●

L-bars DIN 10056 S355J2

Stock items are marked with a dot; other dimensions are available at short notice. Additional sizes, formats, and grades available on request.

Dimension	Grade	Stock availability
L-bars 30/ 30/ 3	S355J2 +AR/M	●
L-bars 40/ 40/ 4	S355J2 +AR/M	●
L-bars 40/ 40/ 5	S355J2 +AR/M	●
L-bars 50/ 50/ 5	S355J2 +AR/M	●
L-bars 50/ 50/ 6	S355J2 +AR/M	●
L-bars 60/ 60/ 6	S355J2 +AR/M	●
L-bars 60/ 60/ 8	S355J2 +AR/M	●
L-bars 65/ 65/ 7	S355J2 +AR/M	●
L-bars 70/ 70/ 7	S355J2 +AR/M	●
L-bars 70/ 70/ 9	S355J2 +AR/M	●
L-bars 80/ 80/ 8	S355J2 +AR/M	●
L-bars 80/ 80/10	S355J2 +AR/M	●
L-bars 90/ 90/ 9	S355J2 +AR/M	●
L-bars 100/100/ 8	S355J2 +AR/M	●
L-bars 100/100/10	S355J2 +AR/M	●
L-bars 100/100/12	S355J2 +AR/M	●
L-bars 110/110/10	S355J2 +AR/M	●
L-bars 120/120/10	S355J2 +AR/M	●
L-bars 120/120/12	S355J2 +AR/M	●
L-bars 120/120/15	S355J2 +AR/M	●
L-bars 130/130/12	S355J2 +AR/M	●
L-bars 140/140/13	S355J2 +AR/M	●
L-bars 150/150/10	S355J2 +AR/M	●
L-bars 150/150/12	S355J2 +AR/M	●
L-bars 150/150/15	S355J2 +AR/M	●
L-bars 150/150/18	S355J2 +AR/M	●
L-bars 150/150/20	S355J2 +AR/M	●
L-bars 160/160/17	S355J2 +AR/M	●
L-bars 180/180/16	S355J2 +AR/M	●
L-bars 180/180/18	S355J2 +AR/M	●
L-bars 200/200/16	S355J2 +AR/M	●
L-bars 200/200/18	S355J2 +AR/M	●
L-bars 200/200/20	S355J2 +AR/M	●
L-bars 250/250/20	S355J2 +AR/M	●
L-bars 60/ 40/ 5	S355J2 +AR/M	●
L-bars 75/ 50/ 6	S355J2 +AR/M	●
L-bars 75/ 50/ 7	S355J2 +AR/M	●
L-bars 80/ 40/ 6	S355J2 +AR/M	●

Continuation - L-bars DIN 10056 S355J2

Dimension	Grade	Stock availability
L-bars 80/ 40/ 8	S355J2 +AR/M	●
L-bars 80/ 60/ 7	S355J2 +AR/M	●
L-bars 90/ 60/ 6	S355J2 +AR/M	●
L-bars 90/ 60/ 8	S355J2 +AR/M	●
L-bars 100/ 50/ 6	S355J2 +AR/M	●
L-bars 100/ 50/ 8	S355J2 +AR/M	●
L-bars 100/ 50/10	S355J2 +AR/M	●
L-bars 100/ 65/ 7	S355J2 +AR/M	●
L-bars 100/ 65/ 9	S355J2 +AR/M	●
L-bars 100/ 75/ 7	S355J2 +AR/M	●
L-bars 100/ 75/ 9	S355J2 +AR/M	●
L-bars 120/ 80/ 8	S355J2 +AR/M	●
L-bars 120/ 80/10	S355J2 +AR/M	●
L-bars 125/ 75/12	S355J2 +AR/M	●
L-bars 130/ 65/ 8	S355J2 +AR/M	●
L-bars 130/ 65/10	S355J2 +AR/M	●
L-bars 130/ 90/10	S355J2 +AR/M	●
L-bars 150/ 75/ 9	S355J2 +AR/M	●
L-bars 150/ 75/10	S355J2 +AR/M	●
L-bars 150/ 75/11	S355J2 +AR/M	●
L-bars 150/ 90/10	S355J2 +AR/M	●
L-bars 150/ 90/12	S355J2 +AR/M	●
L-bars 150/100/10	S355J2 +AR/M	●
L-bars 150/100/12	S355J2 +AR/M	●
L-bars 150/100/14	S355J2 +AR/M	●
L-bars 160/ 80/10	S355J2 +AR/M	●
L-bars 160/ 80/12	S355J2 +AR/M	●
L-bars 180/ 90/10	S355J2 +AR/M	●
L-bars 200/100/10	S355J2 +AR/M	●
L-bars 200/100/12	S355J2 +AR/M	●
L-bars 200/100/14	S355J2 +AR/M	●
L-bars 200/100/16	S355J2 +AR/M	●
L-bars 200/150/12	S355J2 +AR/M	●