

# Aluminiumstangen

## Flach EN AW-6060

Andere Abmessungen, Formate und Legierung auf Anfrage

Abmessung	EN AW-6060
8 x 4	
10 x 2	
10 x 3	
10 x 5	
10 x 6	
12 x 3	
15 x 2	
15 x 3	
15 x 5	
15 x 6	
15 x 8	
15 x 10	●
20 x 2	●
20 x 3	●
20 x 4	
20 x 5	●
20 x 6	
20 x 8	●
20 x 10	●
20 x 12	
20 x 15	●
25 x 2	●
25 x 3	●
25 x 4	
25 x 5	●
25 x 6	
25 x 8	
25 x 10	
25 x 15	
30 x 2	●
30 x 3	●
30 x 4	●

Abmessung	EN AW-6060
30 x 5	●
30 x 6	●
30 x 8	●
30 x 10	●
30 x 12	
30 x 15	●
30 x 20	●
35 x 5	
35 x 12	
35 x 15	
35 x 20	
35 x 25	
40 x 2	
40 x 3	●
40 x 4	●
40 x 5	●
40 x 6	●
40 x 8	●
40 x 10	●
40 x 12	
40 x 15	
40 x 20	●
40 x 25	
40 x 30	
50 x 3	●
50 x 4	●
50 x 5	●
50 x 6	●
50 x 8	●
50 x 10	●
50 x 12	
50 x 15	●
50 x 20	●
50 x 25	

Abmessung	EN AW-6060
50 x 30	
50 x 35	
50 x 40	
60 x 2	
60 x 3	●
60 x 4	●
60 x 5	●
60 x 6	●
60 x 8	●
60 x 10	●
60 x 12	
60 x 15	
60 x 20	
60 x 25	
60 x 30	
60 x 35	
60 x 40	
70 x 6	
70 x 10	
70 x 15	
70 x 20	
70 x 25	
70 x 30	
70 x 40	
70 x 50	
80 x 5	●
80 x 6	●
80 x 8	●
80 x 10	●
80 x 12	
80 x 15	
80 x 20	
80 x 25	
80 x 30	

Abmessung	EN AW-6060
80 x 40	
80 x 50	
80 x 60	
90 x 5	
90 x 8	
90 x 10	
90 x 15	
90 x 20	
90 x 25	
90 x 60	
100 x 3	
100 x 5	●
100 x 8	●
100 x 10	●
100 x 12	
100 x 15	
100 x 20	
100 x 25	
100 x 30	
100 x 40	
100 x 50	
100 x 60	
100 x 70	
120 x 8	●
120 x 10	●
120 x 12	
120 x 15	
120 x 20	
120 x 30	
200 x 10	●

## Aluminiumprofile

T-Profil, HL: 6 m, EN AW-6060, T6/T66

Andere Abmessungen, Formate und Legierung auf Anfrage

Abmessung	EN AW-6060
15 x 2	●
20 x 2	
25 x 2	
25 x 3	●
30 x 3	●
35 x 3	
40 x 3	
40 x 4	
50 x 4	

## Aluminiumprofile

U-Profil, HL: 6 m, EN AW-6060, T6/T66

Andere Abmessungen, Formate und Legierung auf Anfrage

Abmessung	EN AW-6060
10 x 10 x 10 x 1,0	
10 x 10 x 10 x 2,0	
15 x 15 x 15 x 2,0	●
20 x 20 x 20 x 1,5	
20 x 20 x 20 x 2,0	●
20 x 20 x 20 x 3,0	
30 x 20 x 30 x 2,0	●
40 x 20 x 40 x 2,0	●
40 x 20 x 40 x 2,5	
25 x 25 x 25 x 2,0	●
25 x 25 x 25 x 3,0	●
20 x 30 x 20 x 2,0	●
30 x 30 x 30 x 2,0	●
30 x 30 x 30 x 3,0	●
35 x 35 x 35 x 3,0	
20 x 40 x 20 x 2,0	
20 x 40 x 20 x 2,5	
20 x 40 x 20 x 4,0	

Abmessung	EN AW-6060
30 x 40 x 30 x 3,0	
40 x 40 x 40 x 2,0	●
40 x 40 x 40 x 3,0	
50 x 40 x 50 x 4,0	●
30 x 50 x 30 x 3,0	●
50 x 50 x 50 x 5,0	

## Aluminiumstangen

### Rund EN AW-6060

Andere Abmessungen, Formate und Legierung auf Anfrage

Abmessung	EN AW-6060
3	
4	
5	
6	●
7	
8	
9	
10	●
11	
12	●
13	
14	
15	●
16	●
17	
18	
20	●
22	
25	●
26	
27	
28	
30	●

Abmessung	EN AW-6060
35	●
36	
38	
40	
45	
46	
50	
55	
60	
65	
70	
75	
80	
85	
90	
95	
100	
105	
110	
115	
120	
125	
130	
140	
150	
160	
170	
180	
190	
200	
210	
220	
230	
240	

Abmessung	EN AW-6060
250	
260	
280	
300	
320	
350	

## Aluminiumstangen

### Vierkant EN AW-6060, T6/T66

Andere Abmessungen, Formate und Legierung auf Anfrage

Abmessung	EN AW-6060
6 x 6	
7 x 7	
8 x 8	
10 x 10	●
12 x 12	
14 x 14	
15 x 15	
16 x 16	
20 x 20	
25 x 25	
30 x 30	●
35 x 35	
40 x 40	●
45 x 45	
50 x 50	
60 x 60	
70 x 70	
80 x 80	
90 x 90	
100 x 100	
120 x 120	
140 x 140	
150 x 150	
200 x 200	



# Aluminiumprofile

Winkel, HL: 6 m, gleichschenkelig, EN AW-6060, T6/T66

Andere Abmessungen, Formate und Legierung auf Anfrage

Abmessung	EN AW-6060
10 x 2,0	
15 x 2,0	
15 x 3,0	
20 x 2,0	
20 x 3,0	●
25 x 2,0	
25 x 3,0	
30 x 2,0	●
30 x 3,0	●
30 x 4,0	
30 x 5,0	●
35 x 2,0	
35 x 3,0	●
35 x 4,0	
40 x 2,0	●
40 x 3,0	●
40 x 4,0	●
40 x 5,0	●
50 x 2,0	●
50 x 3,0	●
50 x 4,0	●
50 x 5,0	●
50 x 8,0	
60 x 3,0	●
60 x 4,0	●
60 x 5,0	●
60 x 6,0	●
60 x 8,0	
80 x 3,0	
80 x 8	●
80 x 10	
100 x 4	
100 x 10	●

# Aluminiumprofile

Winkel, HL: 6 m, ungleichschenkelig, EN AW-6060, T6/T66

Andere Abmessungen, Formate und Legierung auf Anfrage

Abmessung	EN AW-6060
15 x 10 x 2	
20 x 10 x 2	
20 x 15 x 2	●
20 x 15 x 3	
25 x 15 x 2	
25 x 15 x 3	
30 x 10 x 2	●
30 x 15 x 2	●
30 x 20 x 2	●
30 x 20 x 3	●
30 x 20 x 4	
40 x 10 x 2	
40 x 15 x 2	●
40 x 20 x 2	●
40 x 20 x 3	●
40 x 20 x 4	●
40 x 25 x 2	●
40 x 25 x 4	
40 x 30 x 2	●
40 x 30 x 3	●
50 x 20 x 2	●
50 x 20 x 3	
50 x 30 x 2	●
50 x 30 x 3	●
50 x 30 x 5	●
50 x 40 x 2	
60 x 15 x 2	
60 x 20 x 2	●
60 x 30 x 2	
60 x 30 x 3	●
60 x 30 x 4	●
60 x 40 x 2,0	●
60 x 40 x 3,0	●

Abmessung	EN AW-6060
60 x 40 x 4,0	
70 x 20 x 2,0	
80 x 20 x 2,0	
80 x 30 x 3,0	
80 x 40 x 3,0	●
80 x 40 x 4,0	
100 x 30 x 3,0	
100 x 40 x 4,0	
100 x 50 x 3,0	●
100 x 50 x 5,0	
120 x 20 x 2,5	
200 x 100 x 10,0	