

Rohre - RP-Rohre

el. geschw., St34-2, in blanker bzw. innen & außen feuerverzinkter Ausführung in HL ca. 6m

Andere Abmessungen, Formate und Güten auf Anfrage

RP	blank	feuerverzinkt	bandverzinkt
103			
104	●		
105	●		
106	●		
111			
112			
113			
114			
116			
133			
138			
139			
140	●		
141			
142			
143			
144	●		
150			
152			
169			
185			
193			
195			
197			
202			
205			
1008	●		
1049	●		
1050			
1070	●		
1071			
1072	●		

1087	RP	blank	feuerverzinkt	bandverzinkt
1092				
1093				
1094				
1114				
1162				
1163				
1190				
1191				
1227				
1229				
1230				
1231				
1232				
1252				
1253				
1254				
1255				
1266				
1267				
1348				
1380				
1381				
1382				
1389				
1390				
1391				
1405				
1511				
1522				
1576				
1577				
1591				
1592				
1593				

1594			
RP	blank	feuerverzinkt	bandverzinkt
1595			
1596			
1597			
1598			
1600			
1601			
1602			
1603			
1610			
1613			
1614			
1615			
1620			
1627			
1628			
1637			
1638			
1639			
1640			
1645			
1646			
1647			
1652			
1653			
1654			
1655			
1656			
1657			
1658			
1659			
1660			
1661			
1662			
1668			

1672	blank	feuerverzinkt	bandverzinkt
RP			
1673			
1677			
1679			
1680			
1681			
1682			
1683	●		
1684	●		
1685			
1688			
1689			
1690	●		
1691			
1692			
1693			
1695			
1697			
1698			
1716			
1717			
1721			
1722			
1752			
1753			
1754			
1755			
1757			
1758			
1763			
1810			
1811			
1812			
1813			
3623			

3624			
RP	blank	feuerverzinkt	bandverzinkt
3700			
3710			
3715			
3716			
3718			
3721			
5117			